SODIUM METAPERIODATE

ACS Grade

Technical Data Sheet

Date of edition: 02/05/2023 Edition no.: 1

Product Data

| Chemical Name | Sodium |
|------------------------|-------------------|
| | (meta)periodate |
| | Sodium |
| | metaperiodate |
| | Sodium |
| | periodate |
| Molecular | 213,89 |
| Weight | |
| REACH registration nr. | 01- |
| | 2119980983- |
| | 20-0005 |
| Chemical formula | NalO ₄ |
| C.A.S. number | 7790-28-5 |
| UN number | 3085 |

Applications

- Organic chemical applications: determining the structure of carbohydrates; oxidation at benzylic position to aldehydes; oxidation of benzyl alcohols to benzoic acids; oxidation of olefins to syn-diols; oxidation of olefins to anti-αhaloalcohols; oxidative cleavage of C-C bonds; oxidation of sulfides to sulfoxides, etc.
- It is also used in the synthesis of active pharmaceutical ingredients.

Specification^{*}

| Test | Requirements |
|------------------------|--------------|
| Assay (dried basis) | 99,8-100,3 % |
| Other halogens (as Cl) | max. 0,02% |
| Manganese | max. 3 ppm |

Hazard classification and safety measures

Sodium metaperiodate is classified in ADR class 5.1 (oxidizing substances) and has to be transported and handled accordingly.

While handling sodium metaperiodate, wearing protective glasses and a face shield is recommended. For skin protection, wear protective clothing and protective gloves.

For more information, please take a look at our safety data sheets.

*We can also meet individual customer needs regarding quality.

Packing and storage

In 20-kg drums that comply with all ADR regulations. We can accommodate individual requests as well. Sodium metaperiodate has to be kept away from combustible material, sources of ignition, and high temperatures. Has to be stored in the original, closed, and appropriately labeled container in a cool and dry place.



The information above is based on our most recent knowledge. Application and processing of the material after sale is beyond our control and we cannot assume responsibility for any use of this product outside our premises. The data and information presented above should be considered as guidance only. Our TDS shall not constitute a guarantee for any specific properties or quality standards. The recipients of our products are obliged to check the suitability of this material for the intended use and accepts sole responsibility for compliance with any legal requirements relating to its use. This document does not constitute a warranty or guarantee.